



Quarterly Test

NBB Stress Tests


Cover Test	Scenario	Inflows	Outflows	Total
Stresstest 1	Interest Rate Increase + 200	15,210,617,529	11,800,840,708	3,409,776,821
Stresstest 2	Interest Rate Decrease - 200	14,585,819,963	11,800,840,708	2,784,979,254
Stresstest 3	Prepayment (CPR =10 %)	14,108,754,241	11,800,840,708	2,307,913,533
Stresstest 4	Prepayment (CPR =20 %)	13,744,825,879	11,800,840,708	1,943,985,171
Stresstest 5	Prepayment (CPR =30 %)	13,543,407,071	11,800,840,708	1,742,566,363
Stresstest 6	Prepayment (CPR =40 %)	13,418,009,929	11,800,840,708	1,617,169,221
Stresstest 7	Property Value Decline -10%	14,751,421,454	11,800,840,708	2,950,580,746
Stresstest 8	Property Value Decline -20%	14,510,189,195	11,800,840,708	2,709,348,487
Stresstest 9	Property Value Decline -20% + Additional Loss 1 %	14,392,111,685	11,800,840,708	2,591,270,977

Cover Test	Scenario	Value Cover Assets (Art. 6 RD)	Value Primary Cover Assets (Art. 6 RD)	Nominal Value covered bonds	Loan Cover Test (Min.85%)	Total Asset Cover Test (Min.105%)
Stresstest 1	Interest Rate Increase + 200	12,914,580,140	12,180,829,868	11,500,000,000	105.92%	112.30%
Stresstest 2	Interest Rate Decrease - 200	12,914,580,140	12,180,829,868	11,500,000,000	105.92%	112.30%
Stresstest 3	Prepayment (CPR =10 %)	12,914,580,140	12,180,829,868	11,500,000,000	105.92%	112.30%
Stresstest 4	Prepayment (CPR =20 %)	12,914,580,140	12,180,829,868	11,500,000,000	105.92%	112.30%
Stresstest 5	Prepayment (CPR =30 %)	12,914,580,140	12,180,829,868	11,500,000,000	105.92%	112.30%
Stresstest 6	Prepayment (CPR =40 %)	12,914,580,140	12,180,829,868	11,500,000,000	105.92%	112.30%
Stresstest 7	Property Value Decline -10%	12,782,733,565	12,048,983,292	11,500,000,000	104.77%	111.15%
Stresstest 8	Property Value Decline -20%	12,541,501,306	11,807,751,034	11,500,000,000	102.68%	109.06%
Stresstest 9	Property Value Decline -20% + Additional Loss 1 %	12,423,423,796	11,689,673,524	11,500,000,000	101.65%	108.03%

Liquidity Test	Scenario	Inflows	Outflows	Total
Stresstest 1	Interest Rate Increase + 200	1,459,024,438	41,743,881	1,417,280,557
Stresstest 2	Interest Rate Decrease - 200	1,441,339,901	41,743,881	1,399,596,020
Stresstest 3	Prepayment (CPR =10 %)	1,447,064,982	41,743,881	1,405,321,101
Stresstest 4	Prepayment (CPR =20 %)	1,445,055,376	41,743,881	1,403,311,495
Stresstest 5	Prepayment (CPR =30 %)	1,443,115,555	41,743,881	1,401,371,674
Stresstest 6	Prepayment (CPR =40 %)	1,441,242,823	41,743,881	1,399,498,942
Stresstest 7	Property Value Decline -10%	1,449,147,183	41,743,881	1,407,403,303
Stresstest 8	Property Value Decline -20%	1,449,147,183	41,743,881	1,407,403,303
Stresstest 9	Property Value Decline -20% + Additional Loss 1 %	1,449,147,183	41,743,881	1,407,403,303

CPR Stress Graph

Stress CPR on CB Value



Description Stress Tests

Stress Test 1 Interest Rate Increase 200 basispoints: this test will increase the interest income for all variable rate loans and will increase interest costs on covered bonds with variable rate. Loans and covered bonds that are fixed rate are not impacted.

Stress Test 2 Interest Rate Decrease 200 basispoints: this test will decrease the interest income for all variable rate loans and will decrease interest costs on covered bonds with variable rate. Loans and covered bonds that are fixed rate are not impacted.

Stress Test 3 to 6 CPR of XX%: this test will assume a CPR rate of XX%:

Because repayments on cover assets are also part of the cover pool in the category of the repaid cover asset (Royal Decree art. 3 §2), the effect of this stress test is limited to loss of interest income on the prepaid part of the loan. The levels of CPR are linked to the internal CPR model of the Bank. As long as this model indicates a level below 10%, the stress test will use the stress levels 10% to 40% in steps of 10%. In case the model increases its estimation above 10%, the stress test will use increased levels, starting at the nearest round-up of 5%.

Stress test 7 and 8 Property Value Decline of XX%:

this stress test will assume a general decline in property prices of XX%. This will have an effect on the value calculation (Royal Decree art. 6) of loans where the property price is the determining factor or of loans for which the property price becomes the determining factor after the applied decrease. House price decreases of 10% and 20% will be applied until internal risk models increase their levels, after which these stress tests will increase with the same rate.

Stress Test 9 Property Value Decline + Additional Loss:

in addition to the stress tests 7 and 8, this stress test will take the highest property value decline and will add an additional 1% loss rate. The 1% level will be maintained as long as internal risk models indicate that the additional loss under the combined stress of 20% property value decline and additional 5% foreclosure rate, remains below 1%. In case the additional loss increases above 1%, the stress test will use the nearest round-up of 0.1%.